FIG.1

FIG.2

FIG.3

Decryption Unit 20α

Private Key — pvkα

Encrypted Key Decryption Unit 21α

Secret Key — dkα

Message Decryption 22α

Message Mα

Encryption Unit 11α

Encrypted Key EK1α

Encrypted Message M'α

FIG.4

| DBMS | Permission Test Unit |

Member List GL α

Group ID	Public Key Serial No.	Member Public Key	Team Member's Digital Signature
:	:	:	

Secret Key List CKL α

Secret Key No.	Public Key Serial No.	Encrypted Key
122	11 : AA	qwer
122	1C : FF	zxcv
122	E5 : 4B	wurt

Group Secret Key List G CKL α

Group ID	Secret Key No.
B team	123

Encrypted Data List EDL α

Data ID	Encrypted Data
4444	iiiiiiiiiiiiiiiiiii

Data & Secret Key List DCKL α

Data ID	Secret Key No.
4444	123

FIG.5

FIG.6   Example : Registration of Public key ID for Group (Method of sharing secret key within the group)

Client

Server

When the information is desired to be shared only with the members belonging to the retrieval group, the public key ID of said members are registered first.

Permission Test

Member List GL

Group ID	Public Key No.	Member Public Key	Digital Signature of Team Master
··	··	··	

Group ID

(S61 α)

Member List Retrieval Request for Group

Public key List belonging Retrieval Group (S62 α)

Digital Signature Verification

S63 α

S64 α

Addition of the public key for the user who joins the group newly or Deletion of the public key of the member who leave from the member.

New Member List

Group ID	Public Key No.	Member Public Key
··	··	··

S65 α

Digital Signature

S66 α

Member List Update Request

(S67 α)

Permission Test

New Member List

Member List Update

Group ID	Public Key No.	Member Public Key	Digital Signature of Team Master
··	··	··	

FIG.7

Registration of Secret Key (Method of sharing Key with in Group)

When the information is desired to be shared with the member.

Belonging with the retrieval group, the secret key used with said members are registered.

Client	Server

Request of Member List of a specific group

Permission Test

Group ID
S71 α

Member List

Group ID	Public Key No.	Member Public Key	Digital Signature of Team Master.
:	:	:	:

S72 α
List of Public Key ID List
Belonging to a Specific Group

S73 α — Signature Verification

Public Key ID List

Group Secret Key List

Group ID	Secret Key No.
B Team	123

S74 α — Public Key Cryptography

Skey1 α

B Team

Permission Test

11:AA &.sdf
1C:FF   sdfr
E5:4B   dfgh

(S75 α)

Secret Key List

Group ID	Public Key No.	Encrypted Key
122	11:AA	qwer
122	1C:FF	zxcv
122	E5:4B	wert
123	11:AA	&.sdf
123	1C:FF	sdfg
123	E5:4B	dfgh

Secret Key Generation Module

Secret Key Data

Public Key No.	Member Public Key
:	:

FIG.8

Example of Encryption (Method of Sharing Secret Key within Group)

Client

Server

The encryption steps when the information is desired
to be shared with the member of the retrieval group.

Specified Group's Secret
Key Request

Permission Test

Group ID

User's Public Key No.

S81 α

Group Secret Key List

Group ID	Secret Key No.
Team A	122

Public Key List

Secret Key	Public Key No.	Encrypted Key
122	1LAA	qwer
122	1CJFF	zxcv
122	E54B	vert

S83 α

Publict Key
Cryptography

122 zxcv

S82 α

Secret Key Used by
group SKey α (S84 α)

Secret Key
Cryptography

S85 α

Data
Hello

122

S86 α

Data ID	Encrypted Data
4444	iiiiiijjjjjjj

Data ID	Secret Key No.
4444	122

FIG. 9   Example of Encryption (Method of Sharing Secret Key with respectively selected user)

Client

Server

In specifying the user at the time of the encryption,
the encrypted key is registered each time.

S91 α

Secret Key
Generation

Skey1 α
(S93 α)

Public Key No.	Member Public Key
..	..

Public Key
Cryptography

S94 α

Skey1 α
(S92 α)

Hello

Secret Key
Cryptography

1L:AA oIkJ
1C:FF OJwi
B5:4B Xbmm

S95 α

jjjjjjjjjjjjjjjjjj

Secret Key	Public Key No.	Encrypted Key
123	1L:AA	fs zdf
123	1C:FF	sdfg
123	B5:4B	dfgh
124	1L:AA	oIkJ
124	1C:FF	OJwi
124	2L:4B	Xbmm

Data ID	Encrypted Data.
4444	jjjjjjjjjjjjjjjjj

Data ID	Secret Key No.
4444	124

FIG.10

Example of Decryption (Both Case)

Client

Server

The data ID and the Public Key ID are sent when the data is desired to be retrieved

Data ID	Encrypted Data.
4444	jjjjjjjjjjjj

Data ID	Secret Key No.
4444	122

Secret Key No.	Public Key No.	Encrypted Key
122	1LAA	qwer
122	1C3FF	zxcv
122	B5643	wert

Data ID **4444**   Public Key ID

(S102 α)

ZXCV   jjjjjjjjjjjjjjjjj

S102 α

Public Key Cryptography

S103 α

Secret key ID
Skey2 α   jjjjjjjjjjjjjj

S104 α

Secret Key Cryptography

Hello

User's Secret Key Corresponding to the public key

FIG11

100β Terminal(sender side)

Transmitted Message — 11 β

Transmitted Message
12a β
SB1 β (Digest using hash function)

Transmitted Message MD′
12b β

It verifies whether or not the sender's transmitted contents matches the recipient's received contents

SB5 β (Detect Alternation by comparing MD)

Transmitted Message MD
12c β
SB4 β (Encrypt using recipient's public key)

Nβ Network

The recipient proves that the transmitted contents were received by said recipient.

13 β Recieved Content Conformation data

Transmitted Message MD β — Digital Signature
SB6 β (Encrypt using sender's private key)

Transmitted Message MD β — Digital Signature — Digital Signature

14 β Sent Content Conformation data

---

100 β Terminal(recipient side)

Transmitted Message — 11 β

Transmitted Message
12b β
SB2 β (Digest using hash function)

Transmitted Message MD

SB3 β (Encrypt using recipient's private key)

13 β Recieved Content Conformation data

Transmitted Message MD β — Digital Signature

14 β Sent Content Conformation data

Transmitted Message MD β — Digital Signature — Digital Signature

The sender proves that the transmitted contents, which were received by the recipient, were received and proves that Transmitted Contents can be possessed.

FIG12

100 β Terminal(sender side)

200 β Terminal(recipient side)

N β Network

11 β Transmitted Message

11 β Transmitted Message

101 β Message Transmitting Unit

201 β Message Receiving Unit

102 β Message Receiving Unit

203 β Message Transmitting Unit

105 β Message Transmitting Unit

204 β Message Receiving Unit

103 β Received Contents Confirmation Data Verification Unit

103a β Message Digest Creation Unit

103b β Sender/Session/Reciever Information Retrieving Unit

103c β Digital Signature Verification Unit

104 β Sent Contents Confirmation Data Creation Unit

104a β Message Digest Creation Unit

104b β Sender/Session/Reciever Information Retrieving Unit

104c β Digital Signature Unit

202 β' Received Contents Confirmation Data Creation Unit

202a β Message Digest Creation Unit

202b β Sender/Session/Reciever Information Retrieving Unit

202c β Digital Signature Unit

205 β Sent Contents Confirmation Data Verification Unit

205a β Message Digest Creation /Retrieving Unit

205b β Sender/Session/Reciever Information Retrieving Unit

205c β Digital Signature Verification Unit

13 β Received Contents Confirmation Data

13 β Recieved Contents Confirmation Data

14 β Sent Contents Confirmation Data

14 β Sent Contents Confirmation Data

FIG13

09/700390

```
SC1 β
InputRecieved ContentsConirmation
Data13 β
        ↓
SC2 β
Obtain Message Digest of Composed Message
        ↓
SC3 β
Digital Signature Verification using recipient's Public Key
        ↓
SC4 β
Recipient's Digital Signature?  ──NO──→ Alterd or Communication Error
        │
       YES
        ↓
SC5 β
Decompose Message
```

SC6 β — Input Sent Transmitted Message 11 β

SC7 β — Creation of Transmitted Message MD12a β

SC8 β — Verify Recieved Message Contents

SC9 β — Verify Sender Information

SC10 β — Verify Recipient Information

SC11 β — Verify Session Information

SC12 β — Verify Message Digest of Received Contents

SC13 β — Are the received contents indifferent from the sent contents?

NO ──→ Alterd or Communication Error

YES ──→ No-Alternation

FIG14

SD1 β
| InputRecieved ContentsConirmation Data13 β |

SD2 β
| Create of Recieved ContentsConirmation Acknowledgement |

SD3 β
Compose Information

SD4 β
| Obtain Message Digest of Composed Message |

SD5 β
| Digital signature by sender's private key |

SD6 β
Compose Information

Transmitted ContentsConirmation 14 β

FIG15

SE1 β — Input Received Contents

(Contents, Title, Size, etc.,)

SE2 β — The Message Digest of Received Contents is created.

Message Digest

Compose Information

SE3 β — Input Sender Information
Sender's Name
ID
Public Key Identifier
Mail Address
Etc.,

SE4 β — Input Recipient Information
Recipient's Name
ID
Public Key Identifier
Mail Address
Etc.,

SE5 β — Input Session Information
Sending Time
Recieveing Time
Protocol
Session ID
Etc.,

SE6 β — Compose Information

SE7 β — The Message Digest of Composed Information is Cceated.

SE8 β — Digital Signature Verification using Recipient's Privatet Key

SE9 β — Compose Information

Recieved ContentsConirmation Data13 β

FIG16

Input Transmitted Contents Confirmation Data 14 β — SF1 β

Obtain Message Digest of Composed Information — SF2 β

The Digital Signature confirmed by the Sender's Public Key — SF3 β

Is it Sender's Digital Signature surely? — SF4 β

NO → Alterd or Communication Error

YES

Input Recieved Transmitted Message 11 β — SF6 β

Creation of Message Digest of Received Contents — SF7 β

Decompose Message — SF5 β

Verify Transmitted Message Contents — SF8 β

Verify Sender Information — SF9 β

Verify Recipient Information — SF10 β

Verify Session Information — SF11 β

Verify Message Digest of Transmitted Contents — SF12 β

Are the received Contents indifferent from the Sent Contents? — SF13 β

NO → Alterd or Communication Error

YES → No-Alternation

FIG17

FIG18

1β Sending Terminal(Sender Side)

2β Plain Text

SA1 β (Encryption using Recipient's Public Key) by

3β Cipher Text

SA2 β (Digest using Hash Function)

$4a\beta$ MD β

SA3 β (Encryption using Sender's Private Key) by

5β Message Authentication Code

send

6β Receiving Terminal(Recipient Side)

If Recipient does not have the decryption privilege, recipient is not allowed to execute the verification process.

3β Cipher Text

SA4 β (Decryption by using Sender's Secret Key)

2β Plain Text

SA5 β (Digest using Hash Function)

$4b\beta$ MD β

5β Message Authentication Code

SA6 β (Decryption using Sender's Public Key) by

$4c\beta$ MD β

SA7 β (Two are compared and verified.)

FIG.19

| | Encryption/Decryption Unit | 10 γ |

11 γ	Key Encryption Unit		Key Decryption Unit	12 γ
15 γ	Secret Key Obtaining Unit		Secret Key Decryption Unit	18 γ
16 γ	Secret Key Encryption Unit		Secret Key Tamper Detection Code Creation Unit	19 γ
17 γ	Secret Key Tamper Detection Code Creation Unit		Tamper Detection Unit	20 γ

13 γ	Encryption Unit		Decryption Unit	14 γ
21 γ	Data Encryption Unit		Data Decryption Unit	23 γ
22 γ	DataTamper Detection Code Creation Unit		DataTamper Detection Code Creation Unit	24 γ
			Tamper Detection Unit	25 γ

FIG20

Terminal Unit 31 γ

Encryption/Decryption Unit

10 γ

Transmission

Network

Information Storring Device (e.g. Server) 30 γ

Encrypted Information

Encrypted Message

Data Tamper Detection Data

Encrypted Key

Key Information

FIG.21

```
                    ┌─────────────┐
                    │    Start    │
                    └─────────────┘
                           │
              ┌────────────────────────┐
              │    Obtain Secret Key    │───S301
              └────────────────────────┘
                           │
              ┌────────────────────────┐
              │    Encrypt Secret Key   │───S302
              └────────────────────────┘
                           │
              ┌────────────────────────┐
              │  Create secret Key Tamper │───S303
              │      detection Code      │
              └────────────────────────┘
                           │
              ╱────────────────────────╲
              │          Loop           │
              │   i = 1,  2, ···, n     │
              ╲────────────────────────╱
                           │
              ┌────────────────────────┐
              │ Create Encrypted Message i │───S304
              └────────────────────────┘
                           │
              ┌────────────────────────┐
              │ Data Tamper Detection Code │───S305
              └────────────────────────┘
                           │
              ╲────────────────────────╱
              │          Loop           │
              ╱────────────────────────╲
                           │
              ┌────────────────────────┐
              │ Output Encrypted information │───S306
              └────────────────────────┘
                           │
                    ┌─────────────┐
                    │    Exit     │
                    └─────────────┘
```

FIG22

Encrypted Information

Encrypted Message 1	Data Tamper Detection Data 1		Encrypted Key 1
Encrypted Message 2	Data Tamper Detection Data 2		Encrypted Key 2
Encrypted Message 3	Data Tamper Detection Data 3	...	...
			Encrypted Key m
Encrypted Message n	Data Tamper Detection Data n		Key Information

Information

| Data Parts 1 |
| Data Parts 2 |
| Data Parts 3 |
| ... |
| Data Parts n |

FIG.23

```
                    ┌─────────────┐
                    │    Start    │
                    └──────┬──────┘
                           │
          ┌────────────────────────────────┐
          │  Obtain Encrypted information   │──S501γ
          └────────────────┬───────────────┘
                           │
          ┌────────────────────────────────┐
          │       Decypt Secret Key        │──S502γ
          └────────────────┬───────────────┘
                           │
          ┌────────────────────────────────┐
          │   Create Secret key Tamper      │──S503γ
          │       Detection Code            │
          └────────────────┬───────────────┘
                           │
   S504γ          ◇─────────────────────◇        Invalid
          ◇  Secret key Tamper Detection  ◇──────────────┐
                      ◇─────────◇                         │
                           │ Valid                        │
          ╱────────────────────────────────╲             │
          │             Loop                │             │
          │      i = 1,  2, ···, n          │             │
          ╲────────────────┬───────────────╱             │
                           │                              │
          ┌────────────────────────────────┐             │
          │    Decypt Encrypted Message     │──S505γ      │
          └────────────────┬───────────────┘             │
                           │                              │
          ┌────────────────────────────────┐             │
          │      Create Datat Tamper        │──S506γ      │
          │       Detection Code i          │             │
          └────────────────┬───────────────┘             │
                           │                              │
   S507γ          ◇─────────────────────◇     Invalid    │
          ◇   Datat Tamper Detection      ◇─────────┐    │
                      ◇─────────◇                    │    │
                           │                         │    │
          ┌────────────────────────────────┐         │    │
          │       Output Datatpart          │──S508γ  │    │
          └────────────────┬───────────────┘         │    │
                           │◄────────────────────────┘    │
          ╲────────────────────────────────╱             │
          │             Loop                │             │
          ╱────────────────┬───────────────╲             │
                           │◄─────────────────────────────┘
                    ┌──────┴──────┐
                    │    Exit     │
                    └─────────────┘
```

FIG.24

```
                    ┌──────────────┐
                    │    Start     │
                    └──────┬───────┘
                           │
          ┌────────────────────────────────┐
          │  Obtain Encrypted information   │──: S601 γ
          └────────────────┬───────────────┘
                           │
          ┌────────────────────────────────┐
          │       Decypt Secret Key         │── S602 γ
          └────────────────┬───────────────┘
                           │
          ┌────────────────────────────────┐
          │   Create Secret key Tamper      │── S603 γ
          │      Detection Code             │
          └────────────────┬───────────────┘
```

S604 γ

Secret key Tamper Detection ──── Invalid

Valid

Loop
i = 1, 2, ⋯, L

Create Encrypted Message n+i ── S605 γ

Create Datat Tamper
Detection Code n+i ── S606 γ

Loop

Output Encryted Message ── S607 γ

Exit

FIG25

Encrypted Information

Encrypted Message 1	Data Tamper Detection Data 1
Encrypted Message 2	Data Tamper Detection Data 2
Encrypted Message 3	Data Tamper Detection Data 3
...
Encrypted Message n	Data Tamper Detection Data n

Encrypted Key 1 | Encrypted Key 2 | ... | Encrypted Key:m | Key Information

Encrypted Information

Encrypted Message 1	Data Tamper Detection Data 1
Encrypted Message 2	Data Tamper Detection Data 2
Encrypted Message 3	Data Tamper Detection Data 3
...
Encrypted Message n	Data Tamper Detection Data n
Encrypted Message n+1	Data Tamper Detection Data n+1
...
Encrypted Message n+L	Data Tamper Detection Data n+L

Encrypted Key 1 | Encrypted Key 2 | ... | Encrypted Key:m | Key Information

_ FIG.26

```
              ┌──────────────┐
              │    Start     │
              └──────────────┘
                     │
      ┌──────────────────────────────┐
      │  Obtain Encrypted Key: B and │ ~S801γ
      │       Key Information         │
      └──────────────────────────────┘
                     │
      ┌──────────────────────────────┐
      │   Decrypt Encrypted Key: B    │ ~S802γ
      └──────────────────────────────┘
                     │
      ┌──────────────────────────────┐
      │  Create Secret key Tamper     │ ~S803γ
      │       Detection Code          │
      └──────────────────────────────┘
                     │
   S804γ
          ◇ Secret key Tamper Detection ◇────┐
                     │                        │
      ┌──────────────────────────────┐        │
      │    Create Encrypted Key: C    │ ~S805γ │
      └──────────────────────────────┘        │
                     │                        │
      ┌──────────────────────────────┐        │
      │   Transmit Encrypted Key: C   │ ~S806γ │
      └──────────────────────────────┘        │
                     │←──────────────────────┘
              ┌──────────────┐
              │     Exit     │
              └──────────────┘
```

FIG27

Encrypted Information

| Encrypted Message 1 | Data Tamper Detection Data 1 |
| Encrypted Message 2 | Data Tamper Detection Data 2 |

Encrypted Key A	Key Information
Encrypted Key B	
Encrypted Key C	

Encrypted Information

| Encrypted Message 1 | Data Tamper Detection Data 1 |
| Encrypted Message 2 | Data Tamper Detection Data 2 |

| Encrypted Key A | Key Information |
| Encrypted Key B | |

FIG.28

```
                    ┌─────────────┐
                   (    Start     )
                    └──────┬──────┘
                           │
          ┌────────────────┴────────────────┐
          │     Accept Delete Command       │──── S101γ
          └────────────────┬────────────────┘
                           │
          ┌────────────────┴────────────────┐
          │ Createt DataTamper detection Code│──── S102γ
          └────────────────┬────────────────┘
                           │
          ┌────────────────┴────────────────┐
          │  transmit Deletion Information   │──── S103γ
          └────────────────┬────────────────┘
                           │
                    ┌──────┴──────┐
                   (    Exit      )
                    └─────────────┘
```

FIG29

Encrypted Information.

| Encrypted Message 1 | Data Tamper Detection Data 1 |
| Encrypted Message 1 | Data Tamper Detection Data 2 |

| Encrypted Key A | Key Information |
| Encrypted Key B | |

Encrypted Information

| Encrypted Message 1 | Data Tamper Detection Data 1 |
| Encrypted Message 1 | Data Tamper Detection Data 2 |

Encrypted Key A	Key Information
Encrypted Key B	
Encrypted Key C	

FIG.30

Related Information

schedule（ Team **101, 1998/10/1）**

User ID and Encrypted Key

A	ekey1 Aγ
B	ekey1 Bγ
C	ekey1 Cγ

Key Information

SignedKey1γ

Information Storing device

30 γ

Date Group,Encrypted Message and data Tamper Detectio Code

10/1. 1 CryptData1γMessageD1γ
10/1. 2 CryptData2γMessageD2γ

FIG.31

Related Information

Schedule(Team101, **1998/10/1)**

User ID and Encrypted Key

A	$ekey1\,A^{\gamma}$
B	$ekey1\,B^{\gamma}$
C	$ekey1\,C^{\gamma}$

Key Information

$SignedKey1\,\gamma$

Date Group, Encrypted Message and data Tamper Detectio Code

10/1. 1	$CryptData1\,\gamma$	$MessageD1\,\gamma$
10/1. 2	$CryptData2\,\gamma$	$MessageD2\,\gamma$
10/2. 1	$CryptData3\,\gamma$	$MessageD3\,\gamma$
10/2. 2	$CryptData4\,\gamma$	$MessageD4\,\gamma$

$\sim 30\,\gamma$

FIG.32

Team101 : Schedule

Oct.

1 B : Go to Seminar 15:00～	2 A : Meeting 17:00～	

FIG.33

Start	
Obtain Secret Key	～S151γ
Encrypt Secret Key	～S152γ
Create Encrypted Message	～S153γ
Creation of Message digest MD	～S154γ
Sign the MD	～S155γ
Exit	

FIG.34

```
                    ┌─────────────┐
                    │    Start    │
                    └──────┬──────┘
                           │
         ┌─────────────────────────────────────┐
         │         Decrypt Secret Key          │──── S161
         └──────────────────┬──────────────────┘
                            │
         ┌─────────────────────────────────────┐
         │        Decrypt Encrypted Key        │──── S162
         └──────────────────┬──────────────────┘
                            │
         ┌─────────────────────────────────────┐
         │       Create; Message Digest MD     │──── S163
         └──────────────────┬──────────────────┘
                            │
         ┌─────────────────────────────────────┐
         │    Decrypt the Digital Signature of MD  │──── S164
         └──────────────────┬──────────────────┘
                            │
         ┌─────────────────────────────────────┐
         │      Compare between MD and MD'      │──── S165
         └──────────────────┬──────────────────┘
                            │
                    ┌─────────────┐
                    │     End     │
                    └─────────────┘
```

FIG.35

Information
Datapart 1
Datapart 2
Datapart 3
⋮
Datapart n

⇨

Encrypted Information		
Encrypted Key 1	Encrypted Message 1	Digital Signature1
Encrypted Key 2	Encrypted Message 2	Digital Signature2
Encrypted Key 3	Encrypted Message 3	Digital Signature3
⋮		
Encrypted Key n	Encrypted Message n	Digital Signature4

FIG.36

Information
Datapart 1
Datapart 2
Datapart 3
⋮
Datapart n

⇨

Encrypted Information		
Encrypted Key 1	Encrypted Message 1	
Encrypted Key 2	Encrypted Message 2	
Encrypted Key 3	Encrypted Message 3	Digital Signature
⋮		
Encrypted Key n	Encrypted Message n	

FIG37

Server Sv δ

Client CL δ

32 δ Storing Device

33δ Authority Datat

34δ Authority List

31 δ Team Data List Storing Device

Team Data List Storing Unit

Permission Test Unit

List Storing Unit

35δ

36δ

Communication Unit

30δ Team Data List Administration Device

Team Data List Administration Unit

List Authenticationn Unit

AUD·AUL Modification Unit

SigningUnit

Public Key Administration Unit

37δ

38δ

39δ

40.δ

41 δ

Public Key Data Base

FIG38A

AUD δ	
Team ID	103
ParentTeam ID	101
Team Organizer	Member B
Team Master	Member X
Digital Signature of B	

33

33aδ
33bδ
33cδ
33dδ
33eδ

FIG38B

AUL δ	
Team ID	103
Team Master	Member X
Sub Authority	Member C
Sub Authority	Member D
Digital Signature of X	

34δ

34aδ
34bδ
34cδ
34dδ
34eδ

FIG38C

AUDδ	Digital Signature of B	101/102, TM=X

33cδ 33eδ
33bδ 33aδ
33dδ

FIG38D

AUL δ	Digital Signature of X	TM δ =X, SubAU δ =C,D

34dδ
34fδ
34cδ

FIG.39

FIG.40

101δ (101dδ, 101uδ, 101mδ)

AUD δ	The Digital Signature of A	Root δ/101, TM δ =A
AUL δ	The Digital Signature of A	TM δ =A, sub AU δ =B,C
ML δ	The Digital Signature of A	A,B,C,X,Y,Z

103δ (103dδ, 103uδ, 103mδ)

AUD δ	The Digital Signature of C	101/103, TM δ =X
AUL δ	The Digital Signature of X	TM δ =X, sub AU δ =W,V
ML δ	The Digital Signature of X	X,W,V,Y,Z

104δ (104dδ, 104uδ, 104mδ)

AUD δ	The Digital Signature of V	103/104, TM δ =L
AUL δ	The Digital Signature of L	TM δ =L, sub AU δ =M,N
ML δ	The Digital Signature of L	I,H,L,M,N

102δ (102dδ, 102uδ, 102mδ)

AUD δ	The Digital Signature of B	101/102, TM δ =Y
AUL δ	The Digital Signature of Y	TM δ =Y, sub AU δ =none
ML δ	The Digital Signature of Y	Y,Z

FIG.41

Team Data List Administration device 30 δ (Client CL δ) | Team Data List Storing device 31 δ (Server SV δ)

Sub Team Creation Request by C
(Creation of the sub team 103 δ under the team master 101 by setting X as the team master.)

S11 δ Sub Team Creation Request

S13 δ Creation AUD δ and AUL δ

101 δ

103 δ

| AUD δ | The Digital Signature of C | 101/103, TM δ =X |
| AUL δ | The Digital Signature of C | TM δ =X |

103d δ
103ua δ

S12 δ
Retrieval of the information of the team 101 δ (include the other information of sub team 101 δ)

101 δ

| AUD δ | The Digital Signature of A | Root δ /101, TM δ =A |
| AUL δ | The Digital Signature of A | TM δ =A, sub AU δ =B,C |

101d δ
101u δ

S14 δ
Transmission of the new AUD δ and AUL δ of 103 δ
(Storing request of AUD and AUL of 103 δ)

S15 δ
Investigate AUD and AUL of the team 101 δ
Since C is chosen by the sub team creation master, so this request is judged as the creation request by the person who has proper permission, and AUD and AUL of 103 are stored.

103 δ

| AUD δ | The Digital Signature of C | 101/103, TM δ =X |
| AUL δ | The Digital Signature of C | TM δ =X |

103d δ
103ua δ

S16 δ
Retrieval Request of team 103 δ

S17 δ
Transmission of AUD and AUL of team 101 δ and 103 δ

Member X :   101 δ
Administration Request of team 103 δ by X

| AUD δ | The Digital Signature of A | Root δ /101, TM δ =A |
| AUL δ | The Digital Signature of A | TM δ =A, Sub U δ =B,C |

| AUD δ | The Digital Signature of C | 101/103, TM δ =X |
| AUL δ | The Digital Signature of C | TM δ =X |

103 δ

In these two lists, since the team 103 δ is created by C who is nominated by the team master of the present team 101 δ , X can undersyand that these lists are obtained in the normal status.

S18 δ   103u δ

S19 δ
X creates Authority List of team 103 δ

| AUL δ | The Digital Signature of X | TM δ =X, Sub U δ =W,V |

X designates W and V as the sub team master (sub AU δ).

103d δ
103ua δ

S20 δ
Transmission of updated AUD and AUL of team 101 δ and 103 δ

| AUD δ | The Digital Signature of C | 101/103, TM δ =X |
| AUL δ | The Digital Signature of C | TM δ =X |

103 δ
103d δ
103ua δ

S21 δ
With the list currently kept at the server SV side, it can verified that X is rightly appointed as the team master of 103 justly in the administration architecture by A

| AUD δ | The Digital Signature of C | 101/103, TM δ =X |
| AUL δ | The Digital Signature of C | TM δ =X, Sub U=W,V |

103 δ
103d δ
103u δ

FIG.42

Identification of Claimant — S31δ

YES

S32δ

Claimant is the team master
or the sub AU δ of the team.

NO → Stop processing, because
alternation or improper-act
is generated

YES

S33δ

The digital signature of AUD
δ and AUL δ of the sub
team is done by the claimant.

NO → Stop processing, because
alternation or improper-act
is generated

YES

Judging that the sub team was created
with proper permission, AUL δ and
AUD δ of the team are stored.

— S34δ

FIG.43

List Authorization request

S41 δ — Digital Signature Verification of AUL δ and AUD δ of the team. Is it not altered? — **NO** → Stop Processing, because improper act is performed

YES

Verification of Team Master — S42 δ

Verification of Parent Team — S43 δ

S44 δ — Digital Signature Verification of AUD δ and AUL δ of the parent team. — **NO** →

YES

S45 δ — Is the team creator the TM δ or sub AU δ of the parent team? — **NO** →

YES

S46 δ — Is the parent team the Root team? — **NO** →

YES

Verification of the team master of the Root δ can be done. — S47 δ

Acknowledge by user — S48 δ

S49 δ
The team hierarchy is gone up to the parent team on one

FIG.44

Identification of Claimant — S51δ

YES

S52δ — Claimant is TM δ or, TM δ or AU δ of the parent team.

NO → Stop processing, because alternation or improper-act is performed

YES

S53δ — Digital Signature of AUD δ is done by TM δ or sub AU δ of the parent team

NO → Stop processing, because alternation or improper-act is performed

YES

S54δ — Digital Signature of AUL δ is Digital Signature of TM δ shown in AUD δ.

NO → Stop processing, because alternation or improper-act is performed

YES

Based on judging that the sub team was created with the proper permission, AUL δ and AUD δ of the sub team are stored. — S55δ

FIG.45

Team data lists administration device 30 δ (Client CL δ)

Team data lists Storing device 31 δ (Server SV δ)

Member B :
The team master X of sub team 103 δ modified to Z by B who is the sub AU δ of the team 101 δ.

S61 δ
Modification request of the sub team 103 δ

S62 δ
Retrieval of information about the team 101 δ (including the other information etc., on the sub team of 101 δ)

The signing time is different

S63 δ

Investigation whether or not these two lists are administrated normally, without alternation etc., is done.

S64 δ : Alternation of AUD δ , AUL δ

S65 δ
Transmission of the updated AUD δ and AUL δ of 103 δ

S66 δ
Retrieval of the information about 103 δ

Member Z :

S67 δ : Digital Signature of Z to the Authority list 103ub δ

S68 δ
Transmission of the updated AUD δ and AUL δ of 103 δ

FIG.46

Team data lists administration device 30 δ (Client CL δ)   Team data lists Storing device 31 δ (Server SV δ)

Member A :

S73 δ : A deletes the creation privilege of B who is the sub AU of 101 δ.

S74 δ : Deletion of digital signature of B

S75 δ : A recognizes an existence of the team 103 δ when the team 103 δ is desired to be continued. (AUD δ of 103 δ is signed.)

S78 δ : Transmission of the cancel command of AUD δ, AUL δ and 103 δ which were created newly, when the team 103 δ was desired to be deleted.

S71 δ 101 δ
Modification request of the sub AU δ of the team 101 δ

S72 δ 103 δ
Transmission of AUD δ and AUL δ of the teams of 101 δ and 103 δ

S76 δ
Transmission of AUD δ and AUL δ of the updated teams 101 δ and 103 δ

Transmission of AUD δ, AUL δ and the delete command of the team 101 δ which were updated

S77 δ : Since it turns out that A had deleted B with the proper permission, the lists is updated.

S79 δ : Since it turns out that A had deleted B with the proper permission, the 101 δ list is updated and the 103 δ list is deleted.

101 δ / 101d δ / 101ub δ :
| AUD δ | Digital Signature of A | Root δ/101, TM δ=A |
| AUL δ | Digital Signature of A | TM δ=A, Sub AU δ=C |

103 δ / 103dc δ / 103uc δ :
| AUD δ | | 101/103, TM δ=Z |
| AUL δ | Digital Signature of Z | TM δ=Z Sub AU δ=W,V |

101 δ / 101d δ / 101ub δ :
| AUD δ | Digital Signature of A | Root δ/101, TM δ=A |
| AUL δ | Digital Signature of A | TM δ=A, Sub AU δ=C |

103 δ / 103dd δ / 103uc δ :
| AUD δ | Digital Signature of A | 101/103, TM δ=Z |
| AUL δ | Digital Signature of Z | TM δ=Z Sub AU δ=W,V |

Server side:

101 δ :
| AUD δ | Digital Signature of A | Root δ/101, TM δ=A |
| AUL δ | Digital Signature of A | TM δ=A, Sub AU δ=B,C |

103 δ :
| AUD δ | Digital Signature of B | 101/103, TM δ=Z |
| AUL δ | Digital Signature of Z | TM δ=Z Sub AU δ=W,V |

101 δ :
| AUD δ | Digital Signature of A | Root δ/101, TM δ=A |
| AUL δ | Digital Signature of A | TM δ=A, Sub AU δ=C |

103 δ :
| AUD δ | Digital Signature of A | 101/103, TM δ=Z |
| AUL δ | Digital Signature of Z | TM δ=Z Sub AU δ=W,V |

101 δ :
| AUD δ | Digital Signature of A | 101/103, TM δ=A |
| AUL δ | Digital Signature of A | TM δ=A Sub AU δ=C |

FIG.47

Team data lists administration device 30 δ (Client CL δ)   Team data lists Storing device 31 δ (Server SV δ)

101 δ / 101d δ	AUD δ	Digital Signature of A	Root δ /101, TM δ =A
101u δ	AUL δ	Digital Signature of A	TM δ =A, Sub AU δ =B,C
103 δ / 103d δ	AUD δ	Digital Signature of C	101/103, TM δ =X
103u δ	AUL δ	Digital Signature of X	TM δ =X Sub AU δ =W,V

Member C

Deletion of the sub team 103 δ of the team 101 δ created before

Delete Command of 103 δ by privilege of C	Digital Signature of C

S81 δ
Transmission of Command →

S82 δ

Since it can be understand that C, who is the sub AU of the team 101 δ, is creating the team 103 δ (AUD δ of 103 δ is signed by C) when AUD δ and AUL δ of teams 101 δ and 103 δ were seen, the delete command is judged as the command published with proper permission, to delete AUD δ and AUL δ of team 103 δ.

Member A

Delete Command of 103 δ by privilege of A	Digital Signature of A

S83 δ
Transmission of Command →

S84 δ

Since it can be understand that C, to who A, who is TM of the team 101 δ, nominated as the sub AU δ is creating the team 103 δ (AUD δ of 103 δ is signed by C) when AUD δ and AUL δ of teams 101 δ and 103 δ are seen, the delete command is judged as the command published by A with proper permission, to delete AUD δ and AUL δ of team 103 δ.

FIG.48

Client CL δ Server SVδ

S101δ

Send User Name and User's Public

S102δ

S103δ

Generate and Encrypt
a challenge Data

Send a Challenge data

S104δ

Verify a Challenge

Send a Response

S105δ

Response Data
Verification

Authentication Success or Fail

S107δ

S106δ

FIG.49

101δ / 101d δ / 101u δ / 103d δ

AUD δ	Digital Signature of A	Root δ/101, TM δ =A
AUL δ	Digital Signature of A	TM δ =A sub AU δ =B,C
APL δ	Digital Signature of A	A,B,C,X,Y,Z

Human Resource Administration System
Accounting System
Schedule
File sharing System

103δ / 103d δ / 103u δ / 103a δ

AUD δ	Digital Signature of C	101/103, TM δ =X
AUL δ	Digital Signature of X	TM δ =X sub AU δ =W,V
APL δ	Digital Signature of X	X,W,V,Y,Z

Schedule
File sharing System
Sales Record System
Customer Management System

102δ / 102d δ / 102u δ / 102d δ

AUD δ	Digital Signature of B	101/102, TM δ =Y
AUL δ	Digital Signature of Y	TM δ =Y sub AU δ =none
APL δ	Digital Signature of Y	Y,Z

Schedule
File sharing System
Accounting System

FIG.50

101 δ

AUD δ	Digital Signature of A	Root δ/101, TM δ=A
AUL δ	Digital Signature of A	TM δ=A sub AU δ=B,C
TML δ	Digital Signature of A	TM δ=A sub=B,C
ML δ	Digital Signature of B	A,B,C,X,Y,Z

101d δ, 101u δ, 101t δ, 101ma δ

102 δ

AUD δ	Digital Signature of B	101/102, TM δ=B
AUL δ	Digital Signature of B	TM δ=B sub AU δ=none
TML δ	Digital Signature of B	TM δ=B sub=none
ML δ	Digital Signature of B	B,Z

102d δ, 102u δ, 102t δ, 102ma δ

103 δ

AUD δ	Digital Signature of C	101/103, TM δ=X
AUL δ	Digital Signature of X	TM δ=X sub AU δ=W,V
TML δ	Digital Signature of X	TM δ=X sub=Y,Z
ML δ	Digital Signature of Y	X,W,V,Y,Z

103d δ, 103u δ, 103t δ, 103ma δ

104 δ

AUD δ	Digital Signature of V	Root δ/101, TM δ=A
AUL δ	Digital Signature of L	TM δ=L sub AU δ=M,N
TML δ	Digital Signature of L	TM δ=L sub=I
ML δ	Digital Signature of I	I,H,L,M,N

104d δ, 104u δ, 104t δ, 104ma δ

FIG.51

1δ — Intranet

3δ : Firewall

5δ : Server

Data Sharing Unit

7δ — Data Base

8δ — ACL

Shared Information

4δ : Firewall

User Authentication Unit

Access Control Unit

Group Administration Unit

6δ Sharing Member

Internet

2δ

FIG.52

Team Master

Member List Administration Unit

Member List

1ε

Transmitting Member List

Administration of Destination List

Member List

Authentication Unit

Public key is gotten from the member list

Member public key

The information is transmitted to the one designated address (Message Broadcast Device) (Ex.:List01@serverA.aaa.co.jp)

Message → Encryption

Encryption with the member's public key

Encrypted Message
Encrypted Key   (User A)
Encrypted Key   (User B)
Encrypted Key   (User C)
Key Selection Information

Encrypted Information

Encrypted Message Generating Device

2ε

Message Broadcast Device

Destination List

4ε

Encrypted Mail

Encrypted Mail

Encrypted Mail

Replication

userA@bbb.co.jp

userB@xxx.co.jp

userC@zzz.ne.jp

3ε

Message

Decryption

Decryption with the member's secret key

Receiving

Encrypted Message
Encrypted Key   (User A)
Encrypted Key   (User B)
Encrypted Key   (User C)
Key Selection Information

Encrypted Information

Encrypted Message Decrypting Device

FIG.53

Member List

Team 101 ε
Member-X
Member-Y : Member-B
Digital Signature of X

FIG.54

Team Master List

Team 101 ε	
Member-X	Master
Member-Y	Sub
Member-Z	Sub
Digital Signature of X	

Member List

Team 101 ε
Member-X
Member-Y : Member-B
Digital Signature of X

FIG.55

Member List Administration Unit   1 ε

List Retrieval and Storing Unit   1c ε

List Authentication Unit

Public Key
Administration Unit   1b ε

Key Verification Unit   →   List Creation Unit

Subscription Unit   1e ε   1a ε

List Transmit Unit

1d ε

FIG.56

(Start)

Chose a public key to register as a member   S1 ε

Digest Member List Using Hash Function   S2 ε

Encrypt Digested Data to generate the Digital Signature   S3 ε

(Exitt)

FIG.57

2 ε : Encrypted Message Generating Device

List Retrieval and Storing Unit — 2a ε

Encryption Unit — 2b ε

Destination Check Unit — 2c ε

Multiple Parts Sending Unit — 2d ε

FIG.58

The process of affixing digital signature for alter protection and authentication

FIG.59

Encrypted Message Decryption Device   3 ε

cryption Unit   3b ε

Multiple Parts receiving Unit   3d ε

Protocol 1

Protocol 2

Message Broadcast Device (Address A)   4 ε

Status checking Unit

Status check

Information Storing Device (Address B)   5 ε

Protocol 1

Protocol 2

Encrypted Message Creation Device   2 ε

Encryption Unit   2b ε

Multiple Parts Sending Unit   2d ε

Broadcast Message associated with multiple Parts

Resource Database

FIG.60

3a ε

3 ε : Encyprtedf Message decryption Unit

Encrypted Message Retrieval Unit — 3a ε
Decryption Unit — 3b ε
Notification Sending Unit — 3c ε
Multi Parts Sending Unit — 3d ε
Broadcast Communication Security Check — 3e ε
List Retrieval and Storing Unit — 3f ε

FIG.61

4 ε :Message Broadcast Device

Distination List Administration Unit — **4d ε**

Message Replication Unit — **4d ε**

Sending Unit — **4d ε**

List Authentication Unit — **4d ε**

Affixed Information Affixing Unit — **4d ε**

Broadcast Communication security Check Unit — **4d ε**

Broadcast Communication Contents Storing Unit — **4d ε**

Automatic Start Unit — **4d ε**

FIG.62

4 ε : Message Broadcast Device

WWW Server

4h ε

Automatically Starting Unit of Broadcast Communication

Member List

Mailing List Server

Start of Broadcast Communication

New Start

Distribution List

Reference

Co-operation

Re-plication

Subscription

Distribution of Stock News

Stock News Service Provider

Team Master — Broadcast Communication Start Request

Team Master — Sub Master Configuration

Sub Master — Subscriber Administration

Reporter — Stock News

FIG.63

Certificate Authority

Team Master

Member List Administration unit

1 ε : Member List Administration Device

Member List

Database on Network

Request of Validation Status (Validation, CRL)

Resource Database

Member List

Information transmitting Device

Member List

Mailing List

4 ε : Mailing list server

Encrypted mail

Encrypted mail

Encrypted mail

userC@zzz.ne.jp → Message

Receiving

Encryption with the member's private key

Storing

Storing Database

Encrypted mail

Encrypted mail

5 ε : Information Storing Server

Encrypted File

Encryption with the member's private key

2 ε : Encrypted Message Creation Device

Member List

Member List Authentication Unit

Obtaining the public key from the member list

Member public key

Transmission of the mail to specific address (mailing list) (ex.▼List01@serverA.aaa.co.jp)

Replication

Message

Encryptio

Encryption with the public key of the mailing list server

Large size attached File
Encrypted Estimation Sheet or Agreement etc.

FIG.64

Mailing List Server
ServerA

List01 : userA@bbb.co.jp
userB@xxx.co.jp
userC@zzz.ne.jp

Mailing List

Mail

Mail

Mail

Replication

Decryption

Transmission
of the mail to
each sender

userA@bbb.co.jp

userB@xxx.co.jp

userC@zzz.ne.jp

Message

Receiving

Transmission of the mail to
the specific address (mailing
list)
(Ex:List01@serverA.aaa.co.jp)

Message

FIG.65

Message

Encryption

① Encryption
with the
public key of
the mailing
list server

Transmission of the
mail to the specific
address   (mailing
list)
(Ex:List01@serverA.
aaa.co.jp)

Decryption

② Decryption
with the
private key of
the mailing
list server

Mailing List Server
ServerA

Mailing List

Mail

Mail

Mail

Replication

Member public key

Encryption

Encryption

Encryption

③ Encryption
with each
user's
public key

userA@bbb.co.jp

userB@xxx.co.jp

userC@zzz.ne.jp

Receiving

Message

④ Encryption
with the
member's
private key

FIG.66

FIG.67

Client CL ζ

Member List Administration Unit

NW ζ

Network

Server SV ζ

Member List Storing Unit

10 ζ

11A ζ   **12A ζ**

Group A

| Member List | Digital Signature |

Group B

| Member List | Digital Signature |

11B ζ   **12B ζ**

The member list is transmitted at any time and Modification is done

Member List Storing Unit
(Access to the database
  Access to the hard disk)

Member List Modification Unit
(Addition of Member
  Deletion of Member)

Digital Signing Unit
(Signature by the message
  digest and private key
  (signing key))

FIG.68

Client CL ζ

Team Master

Team Master TM modifies the member list.
(Member MB ζ → Member MC ζ)

S4 ζ

Digital Signature Administration Unit
Checking of the list created by TM

Member change MB ζ → MC ζ

S5 ζ

21 ζ :Member List

| Team T1 ζ |
| Member MX ζ |
| Member MY ζ |
| ... |
| Member MC ζ |

S6 ζ

Digital
Signature

22 ζ :Member List

| Team T1 ζ |
| Member MX ζ |
| Member MY ζ |
| ... |
| Member MC ζ |
| Digital Signature of TM ζ |

Server SV ζ

20 ζ :Member List

| Team T1 ζ |
| Member MX ζ |
| Member MY ζ |
| ... |
| Member MC ζ |
| Digital Signature of TM ζ |

S2 ζ — Permission Test

S1 ζ — Group ID
User's public key No.

S3 ζ

Modification on the client

22 ζ :Member List

| Team T1 ζ |
| Member MX ζ |
| Member MY ζ |
| Member MC ζ |
| Digital Signature of TM ζ |

S7 ζ

FIG.69

Client C L ζ   Server SV ζ

S101ζ

Send User Name and User's Public Key

S102ζ

S103ζ

Generate and Encrypt a Challenge Data

Send a Challenge

S104ζ

Verify a Challenge

Send a Response

S105ζ

Response Data Verification

Authentication Success or fail

S107 ζ

S106ζ

FIG.70

Team data list Administration Device 30ζ (Client CLζ)

Team data list Storing Device 30ζ (Server SVζ)

Sub Master MYζ
Sub Master Myζ modifies the member list 46ζ.
(Member MBζ → Member MCζ)

35ζ : Permission Test Unit
What lists are retrieved or modified?

46ζ Member List

Team T2ζ
Member MXζ
Member MYζ
Member MBζ
Digital Signature of MXζ

45ζ Team Master List

Team T2ζ	
Member MXζ	Master
Member MYζ	Sub
Member MZζ	Sub
Digital Signature of MXζ	

35ζ : Permission Test Unit
Since The signature of MYζ registered in the team master list 45ζ as the sub master, which is signed the digital signature of MXζ, is attached to the member list 48ζ, so the member list 48ζ is valid.

S18ζ

48ζ Member List

Team T2ζ
Member MXζ
Member MYζ
Member MZζ
Digital Signature of MYζ

45ζ Team Master List

Team T2ζ	
Member MXζ	Master
Member MYζ	Sub
Member MZζ	Sub
Digital Signature of MXζ	

Team Master List 45ζ Member List 48ζ

S17ζ

39ζ : Digital Signature Unit

Team T2ζ
Member MXζ
Member MYζ
Member MZζ
Digital Signature of MYζ

48ζ : Member List

40ζ : Publication key Administration Unit

37ζ : List Creator Verification Unit
The team master list 45ζ and the member list 46ζ are checked, and it is checked certainly that the team master or sub master included in the team master list 45ζ creates these list.

S14ζ

38ζ : List Modification Unit

Team T2ζ
Member MXζ
Member MYζ
Member MCζ

47ζ : Member List
MYζ signs the digital signature after the Modification.

S16ζ

S15ζ

Permission Test

Permission Test

S12ζ

S11ζ

Group ID
User public key No.

S13ζ

Team Master List 45ζ
Member List 46ζ

FIG. 71

S21

Retrieve team Master List and Member List

S22

Checking of the digital
signature of two list
Is it not altered? → **NO** → Since improper act (alternation etc.) occurred, the process is stopped.

YES

S23

Is the digital signer of the
member list contained in
the team master list? → **NO** → Since improper act (alternation etc.) occurred, the process is stopped.

YES

S24

Is the digital signer of the
team master list the team
master ? → **NO** → Since improper act (alternation etc.) occurred, the process is stopped.

YES

Since the member list was created by
the team master or the sub master
with the proper permission, the
process is continued.

FIG.72

Team data list Administration Device 31 ζ (Client CL ζ)

Team data list Storing Device 31 ζ (Server SV ζ)

Sub Master MX ζ
Team Master MX ζ modifies the member list 45 ζ.
(Member MY ζ → Member MW ζ)

35 ζ : Permission Test Unit
What lists are referred and modified?

46 ζ Member List

Team T2 ζ
Member MX ζ
Member MY ζ
Member MB ζ
Digital Signature of MX ζ

45 ζ Team Master List

Team T2 ζ	
Member MX ζ	Master
Member MY ζ	Sub
Member MZ ζ	Sub
Digital Signature of MX ζ	

35 ζ : Permission Test Unit
Since This list is the team master list with the MX ζ's digital signature, this team master list 52 ζ is valid.

48 ζ Member List

Team T2 ζ
Member MX ζ
Member MY ζ
Member MB ζ
Digital Signature of MY ζ

52 ζ Team Master List

Team T2 ζ	
Member MX ζ	Master
Member MW ζ	Sub
Member MZ ζ	Sub
Digital Signature of MX ζ	

Permission Test

S32
Permission Test
Group ID S31 ζ
User public key No.
Team Master List 45 ζ Member List 46 ζ
S33 ζ
S38 ζ

Team Master List 45 ζ Member List 48 ζ
S37 ζ

37 ζ : List Creator Verification Unit
It is confirmed that the team master list 45 ζ is created by the team master.

S34 ζ
S35 ζ

38 ζ : List Modification Unit

Team T2 ζ	
Member MX ζ	Master
Member MW ζ	Sub
Member MZ ζ	Sub

40 ζ : Publication key Administration Unit

39 ζ : Digital Signature Unit

Team T2 ζ	
Member MX ζ	Master
Member MW ζ	Sub
Member MZ ζ	Sub
Digital Signature of MX ζ	

52 ζ : Team Master List

51 ζ : Team Master List
MX ζ signs the digital signature after the Modification.
S16 ζ

FIG.73

Team data list Administration Device 30 ζ
(Client CL ζ)

Team data list Storing Device 30 ζ
(Server SV ζ)

Team Master MX ζ
Team Master MX ζ is alternated to the team master MK 46 ζ.

S42 ζ

S44 ζ

Permission Test

The team master list 45 ζ and the member list 48 ζ verify that this list is certainly created by the team master and sub master included in the team master list 45 ζ.

Group ID
User public key No.

S41 ζ

45 ζ Team Master List

Team T2 ζ	
Member MX ζ	Master
Member MY ζ	Sub
Member MZ ζ	Sub
Digital Signature of MX ζ	

48 ζ Member List

Team T2 ζ
Member MX ζ
Member MY ζ
....
Member MC ζ
Digital Signature of MY ζ

S43 ζ

55 ζ Team Master List

Team T2 ζ	
Member MK ζ	Master
Member MY ζ	Sub
Member MZ ζ	Sub

Modification to Member MK

S45 ζ

Team Master List 45 ζ
Member List 48 ζ

56 ζ Member List

Team T2 ζ
Member MK ζ
Member MY ζ
....
Member MC ζ

Addition of Digital Signature of MX ζ

S46 ζ

57 ζ Team Master List

Team T2 ζ	
Member MK ζ	Master
Member MY ζ	Sub
Member MZ ζ	Sub
Digital Signature of MX ζ	

58 ζ Member List

Team T2 ζ
Member MK ζ
Member MY ζ
....
Member MB ζ
Digital Signature of MX ζ

59 ζ Old Team Master

Team T2 ζ	
Member MX ζ	Master
Member MY ζ	Sub
Member MZ ζ	Sub
Digital Signature of MX ζ	

Permission Test

S47 ζ

Permission Test

S51 ζ

New Team Master MK
59 ζ Team Master List.

Team T2 ζ	
Member MK ζ	Master
Member MY ζ	Sub
Member MZ ζ	Sub

60 ζ Member List

Team T2 ζ
Member MK ζ
Member MY ζ
....
Member MC ζ

S48 ζ

Digital Signature Verification

Addition of Digital Signature of MX ζ

S50 ζ

S49 ζ

61 ζ Team Master List

Team T2 ζ	
Member MK ζ	Master
Member MY ζ	Sub
Member MZ ζ	Sub
Digital Signature of MK ζ	

62 ζ Member List

Team T2 ζ
Member MK ζ
Member MY ζ
....
Member MB ζ
Digital Signature of MK ζ

FIG.74

S61 ζ

Retrieve Previous and New team Master List and New Member List

S62 ζ

Checking of the digital signature of two list
Is it not altered?

NO → Since improper-act (alternation etc.) occurred from the client during the transfer to the server, the process is stopped

YES

S63 ζ

Dose the new team master list serve as the digital signature by the previous team master list.

NO → Since improper-act (alternation etc.) occurred, the process is stopped

YES

S64 ζ

Have the digital-signatory of the new team master list the master privilege?

YES → Normal Modification but not Alternation of Team Master

NO (At this point, it can be judged that it is the modification time of the team master.)

65 ζ

Is the digital signer of the new member list;
① included in the new team maser list?
② the digital-signer of the previous (new) team maser list)

NO → Since improper-act (alternation etc.) occurred, the process is stopped

YES

It is judged that the team master was changed under the normal manipulation by the team master with the proper permission.

FIG.75

The list stored at the server side

Previous Team Master List 45 ζ

Previous Member List 48 ζ

Team T2 ζ	
Member-MK ζ	Master
Member-MY ζ	Sub
Member-MZ ζ	Sub
Digital Signature of MX ζ	

Team T2 ζ
Member-MK ζ
Member-MY ζ
⋮
Member-MC ζ
Digital Signature of MY ζ

The list transmitted from the client side

New Team Master List 57 ζ

New Member List 58 ζ

S63 ζ

Team T2 ζ	
Member-MK ζ	Master
Member-MY ζ	Sub
Member-MZ ζ	Sub
Digital Signature of MX ζ	

Team T2 ζ
Member-MK ζ
Member-MY ζ
⋮
Member-MC ζ
Digital Signature of MX ζ

S64 ζ

S62 ζ

S65 ζ

FIG.76

FIG.77

Client CLζ

Server SVζ

Member List Retrieval Request for
Group

Permission Test

Group ID

9ζ :Member List GL

Group ID	Public Key No.	Member Public Key	Digital Signature of Team Master
..	..	..	

Public key List belonging to Retrieval

Digital Signature
Verification

Addition of the member's public key which joins the group newly, or
deletion of the cancellation member's public key.

9aζ :New Member List

Group ID	Public Key No.	Member Public Key
..	..	..

Digital
Signature

Member List Update Request

Permission Test

New Member List

9bζ :Member List Update

Group ID	Public Key No.	Member Public Key	Digital Signature of Team Master
..	..	..	